

EASY BARRIER INOX KLASSIK

**The best
choice for
high-hygiene
environments.**

Our new AISI 304 stainless steel range, suitable for the food, chemical and pharmaceutical industries.

D_≥200

Diameter 4mm




Panels

Distance from hazard zones	D _≥ 200
Mesh size	Weave 40x40 - wire ø 4mm
Non-standard widths	on request (44 mm pitch)
Fastening system	Skatto 111 A plates, food-grade with stainless steel screw




3 standard heights




H1400

INOX KLASSIK	H (mm)	L (mm)
X012-14	1300	2512
X013-14	1300	1984
X014-14	1300	1456
X015-14	1300	1148
X016-14	1300	928
X017-14	1300	708
X018-14	1300	444
X019-14	1300	224



H2000

INOX KLASSIK	H (mm)	L (mm)
X012	1890	2512
X013	1890	1984
X014	1890	1456
X015	1890	1148
X016	1890	928
X017	1890	708
X018	1890	444
X019	1890	224



H2500

INOX KLASSIK	H (mm)	L (mm)
X022	2385	1984
X023	2385	1456
X024	2385	1148
X025	2385	928
X026	2385	708
X027	2385	444
X028	2385	224

EASY BARRIER INOX KRT



The best choice for high-hygiene facilities

Our new AISI 304 stainless steel range, suitable for food, chemical, and pharmaceutical plants.

D_≥20

Diameter 3mm



Panels

Distance from hazard zones	D _≥ 20
Mesh size	Weave 8x41 - wire ø 3mm
Non-standard widths	on request (11 mm pitch)
Fastening system	Skatto 111 Evo plates food-grade with stainless steel screw




2 standard heights



H2000

INOX KRT	H (mm)	L (mm)
X13KRT	1890	1984
X14KRT	1890	1456
X16KRT	1890	928



H2500

INOX KRT	H (mm)	L (mm)
X13KRT	1890	1984
X13KRT2	480	1984
X14KRT	1890	1456
X14KRT2	480	1456
X16KRT	1890	928
X16KRT2	480	928