



## Sliding gates lower rail

Completely clear passage at both floor and head level

Customisable with various types of locks

Preparation kits for the most common types of electric locks


Inward-opening leaf available on request

Can be combined as left and right-hand doors to double the passage width

left-hand opening



right-hand opening



### H2000

| KLASSIK       | H (mm) | L (mm)* |
|---------------|--------|---------|
| <b>003GI</b>  | 2000   | 1016    |
| <b>004GI</b>  | 2000   | 1544    |
| <b>005 GI</b> | 2000   | 1940    |

| HD             | H (mm) | L (mm)* |
|----------------|--------|---------|
| <b>HD003GI</b> | 2000   | 1016    |
| <b>HD004GI</b> | 2000   | 1544    |

| KRT            | H (mm) | L (mm)* |
|----------------|--------|---------|
| <b>RT003GI</b> | 2000   | 1016    |
| <b>RT004GI</b> | 2000   | 1544    |

### H2500

| KLASSIK      | H (mm) | L (mm)* |
|--------------|--------|---------|
| <b>006GI</b> | 2500   | 1016    |
| <b>007GI</b> | 2500   | 1544    |

| HD             | H (mm) | L (mm)* |
|----------------|--------|---------|
| <b>HD006GI</b> | 2500   | 1016    |
| <b>HD007GI</b> | 2500   | 1544    |

| KRT            | H (mm) | L (mm)* |
|----------------|--------|---------|
| <b>RT006GI</b> | 2500   | 1016    |
| <b>RT007GI</b> | 2500   | 1544    |

\*free passage



## Sliding gates upper rail

Side clearance equal to the door opening width

Customisable with various types of locks

Preparation kits for the most common types of electric locks

Inward-opening leaf available on request

Can be combined as left and right-hand doors to double the passage width

left-hand opening



right-hand opening



### H2000

| KLASSIK        | H (mm) | L (mm)* |         |
|----------------|--------|---------|---------|
| <b>MKGS017</b> | 2000   | 708     |         |
| <b>MKGS016</b> | 2000   | 928     |         |
| <b>MKGS015</b> | 2000   | 1148    | 2 POSTS |
| <b>MKGS014</b> | 2000   | 1456    |         |
| <b>MKGS013</b> | 2000   | 1984    | 3 POSTS |
| <b>MKGS012</b> | 2000   | 2512    |         |

| HD             | H (mm) | L (mm)* |         |
|----------------|--------|---------|---------|
| <b>HDGS017</b> | 2000   | 708     |         |
| <b>HDGS016</b> | 2000   | 928     |         |
| <b>HDGS015</b> | 2000   | 1148    | 2 POSTS |
| <b>HDGS014</b> | 2000   | 1456    |         |
| <b>HDGS013</b> | 2000   | 1984    | 3 POSTS |

| KRT            | H (mm) | L (mm)* |         |
|----------------|--------|---------|---------|
| <b>RTGS016</b> | 2000   | 928     |         |
| <b>RTGS014</b> | 2000   | 1456    | 2 POSTS |
| <b>RTGS013</b> | 2000   | 1984    | 3 POSTS |

### H2500

| KLASSIK        | H (mm) | L (mm)* |         |
|----------------|--------|---------|---------|
| <b>MKGS026</b> | 2500   | 708     |         |
| <b>MKGS025</b> | 2500   | 928     | 2 POSTS |
| <b>MKGS024</b> | 2500   | 1148    |         |
| <b>MKGS023</b> | 2500   | 1456    | 3 POSTS |
| <b>MKGS022</b> | 2500   | 1984    |         |

| HD             | H (mm) | L (mm)* |         |
|----------------|--------|---------|---------|
| <b>HDGS026</b> | 2500   | 708     |         |
| <b>HDGS025</b> | 2500   | 928     | 2 POSTS |
| <b>HDGS024</b> | 2500   | 1148    |         |
| <b>HDGS023</b> | 2500   | 1456    | 3 POSTS |
| <b>HDGS022</b> | 2500   | 1984    |         |

| KRT            | H (mm) | L (mm)* |         |
|----------------|--------|---------|---------|
| <b>RTGS025</b> | 2500   | 928     | 2 POSTS |
| <b>RTGS023</b> | 2500   | 1456    | 3 POSTS |
| <b>RTGS022</b> | 2500   | 1984    |         |

\*free passage



# Sliding gates lower rail INOX

Completely clear passage at both floor and head level

Customisable with various types of locks

Preparation kits for the most common types of electric locks

Inward-opening leaf available on request

right-hand opening



## H2000

| INOX KLASSIK   | H (mm) | L (mm)* |
|----------------|--------|---------|
| <b>X003GI</b>  | 2000   | 1016    |
| <b>X004GI</b>  | 2000   | 1544    |
| <b>X005 GI</b> | 2000   | 1940    |

| INOX KRT        | H (mm) | L (mm)* |
|-----------------|--------|---------|
| <b>XRT003GI</b> | 2000   | 1016    |
| <b>XRT004GI</b> | 2000   | 1544    |

## H2500

| INOX KLASSIK  | H (mm) | L (mm)* |
|---------------|--------|---------|
| <b>X006GI</b> | 2500   | 1016    |
| <b>X007GI</b> | 2500   | 1544    |

| INOX KRT        | H (mm) | L (mm)* |
|-----------------|--------|---------|
| <b>XRT006GI</b> | 2500   | 1016    |
| <b>XRT007GI</b> | 2500   | 1544    |

\*free passage



# Sliding gates upper rail INOX

Side clearance equal to the door opening width

Customisable with various types of locks

Preparation kits for the most common types of electric locks

Inward-opening leaf available on request

left-hand opening



## H2000

| INOX KLASSIK    | H (mm) | L (mm)* |         |
|-----------------|--------|---------|---------|
| <b>XMKGS017</b> | 2000   | 708     |         |
| <b>XMKGS016</b> | 2000   | 928     | 2 POSTS |
| <b>XMKGS015</b> | 2000   | 1148    |         |
| <b>XMKGS014</b> | 2000   | 1456    |         |
| <b>XMKGS013</b> | 2000   | 1984    | 3 POSTS |
| <b>XMKGS012</b> | 2000   | 2512    |         |

| INOX KRT        | H (mm) | L (mm)* |         |
|-----------------|--------|---------|---------|
| <b>XRTGS016</b> | 2000   | 928     | 2 POSTS |
| <b>XRTGS014</b> | 2000   | 1456    |         |
| <b>XRTGS013</b> | 2000   | 1984    | 3 POSTS |

## H2500


| INOX KLASSIK    | H (mm) | L (mm)* |         |
|-----------------|--------|---------|---------|
| <b>XMKGS026</b> | 2500   | 708     |         |
| <b>XMKGS025</b> | 2500   | 928     | 2 POSTS |
| <b>XMKGS024</b> | 2500   | 1148    |         |
| <b>XMKGS023</b> | 2500   | 1456    |         |
| <b>XMKGS022</b> | 2500   | 1984    | 3 POSTS |

| INOX KRT        | H (mm) | L (mm)* |         |
|-----------------|--------|---------|---------|
| <b>XRTGS025</b> | 2500   | 928     | 2 POSTS |
| <b>XRTGS023</b> | 2500   | 1456    |         |
| <b>XRTGS022</b> | 2500   | 1984    | 3 POSTS |

\*free passage



## Double sliding gates lower rail



### H2000

| KLASSIK        | H (mm) | L (mm)*     |
|----------------|--------|-------------|
| <b>003GID</b>  | 2000   | 1016 + 1016 |
| <b>004GID</b>  | 2000   | 1544 + 1544 |
| <b>005 GID</b> | 2000   | 1940 + 1940 |

| HD              | H (mm) | L (mm)*     |
|-----------------|--------|-------------|
| <b>HD003GID</b> | 2000   | 1016 + 1016 |
| <b>HD004GID</b> | 2000   | 1544 + 1544 |

| KRT             | H (mm) | L (mm)*     |
|-----------------|--------|-------------|
| <b>RT003GID</b> | 2000   | 1016 + 1016 |
| <b>RT004GID</b> | 2000   | 1544 + 1544 |

### H2500

| KLASSIK       | H (mm) | L (mm)*     |
|---------------|--------|-------------|
| <b>006GID</b> | 2500   | 1016 + 1016 |
| <b>007GID</b> | 2500   | 1544 + 1544 |

| HD              | H (mm) | L (mm)*     |
|-----------------|--------|-------------|
| <b>HD006GID</b> | 2500   | 1016 + 1016 |
| <b>HD007GID</b> | 2500   | 1544 + 1544 |

| KRT             | H (mm) | L (mm)*     |
|-----------------|--------|-------------|
| <b>RT006GID</b> | 2500   | 1016 + 1016 |
| <b>RT007GID</b> | 2500   | 1544 + 1544 |

\*free passage



# Double sliding gates upper rail

Left-hand open leaf



## H2000

| KLASSIK         | H (mm) | L (mm)*     |         |
|-----------------|--------|-------------|---------|
| <b>MKGS017D</b> | 2000   | 708 + 708   |         |
| <b>MKGS016D</b> | 2000   | 928 + 928   |         |
| <b>MKGS015D</b> | 2000   | 1148 + 1148 | 4 POSTS |
| <b>MKGS014D</b> | 2000   | 1456 + 1456 |         |
| <b>MKGS013D</b> | 2000   | 1984 + 1984 |         |
| <b>MKGS012D</b> | 2000   | 2512 + 2512 |         |

| HD              | H (mm) | L (mm)*     |         |
|-----------------|--------|-------------|---------|
| <b>HDGS017D</b> | 2000   | 708 + 708   |         |
| <b>HDGS016D</b> | 2000   | 928 + 928   |         |
| <b>HDGS015D</b> | 2000   | 1148 + 1148 | 4 POSTS |
| <b>HDGS014D</b> | 2000   | 1456 + 1456 |         |
| <b>HDGS013D</b> | 2000   | 1984 + 1984 |         |

| KRT             | H (mm) | L (mm)*     |         |
|-----------------|--------|-------------|---------|
| <b>RTGS016D</b> | 2000   | 928 + 928   |         |
| <b>RTGS014D</b> | 2000   | 1456 + 1456 | 4 POSTS |
| <b>RTGS013D</b> | 2000   | 1984 + 1984 |         |

## H2500

| KLASSIK         | H (mm) | L (mm)*     |         |
|-----------------|--------|-------------|---------|
| <b>MKGS026D</b> | 2500   | 708 + 708   |         |
| <b>MKGS025D</b> | 2500   | 928 + 928   |         |
| <b>MKGS024D</b> | 2500   | 1148 + 1148 | 4 POSTS |
| <b>MKGS023D</b> | 2500   | 1456 + 1456 |         |
| <b>MKGS022D</b> | 2500   | 1984 + 1984 |         |

| HD              | H (mm) | L (mm)*     |         |
|-----------------|--------|-------------|---------|
| <b>HDGS026D</b> | 2500   | 708 + 708   |         |
| <b>HDGS025D</b> | 2500   | 928 + 928   |         |
| <b>HDGS024D</b> | 2500   | 1148 + 1148 | 4 POSTS |
| <b>HDGS023D</b> | 2500   | 1456 + 1456 |         |
| <b>HDGS022D</b> | 2500   | 1984 + 1984 |         |

| KRT             | H (mm) | L (mm)*     |         |
|-----------------|--------|-------------|---------|
| <b>RTGS025D</b> | 2500   | 928 + 928   |         |
| <b>RTGS023D</b> | 2500   | 1456 + 1456 | 4 POSTS |
| <b>RTGS022D</b> | 2500   | 1984 + 1984 |         |

\*free passage